

gt - Islands

```
library(gt)
library(dplyr)
```

Attaching package: 'dplyr'

The following objects are masked from 'package:stats':

filter, lag

The following objects are masked from 'package:base':

intersect, setdiff, setequal, union

```
islands_tbl <-
  tibble(
    name = names(islands),
    size = islands
  ) |>
  arrange(desc(size)) |>
  slice(1:10)

gt_tbl <- gt(islands_tbl)

gt_tbl <-
  gt_tbl |>
  tab_header(
    title = "Large Landmasses of the World",
    subtitle = "The top ten largest are presented"
  )

gt_tbl <-
  gt_tbl |>
  tab_source_note(
    source_note = "Source: The World Almanac and Book of Facts, 1975, page 406."
  ) |>
  tab_source_note(
    source_note = md("Reference: McNeil, D. R. (1977) *Interactive Data Analysis*.
Wiley.")
  )

# Show the gt table
gt_tbl
```

Large Landmasses of the World

The top ten largest are presented

name	size
Asia	1 6 9 8 8
Africa	1 1 5 0 6
North America	9 3 9 0
South America	6 7 9 5
Antarctica	5 5 0 0
Europe	3 7 4 5
Australia	2 9 6 8
Greenland	8 4 0
New Guinea	3 0 6
Borneo	2 8 0

Source: The World Almanac and Book of Facts, 1 9 7 5 ,
page 4 0 6 .

Reference: McNeil, D. R. (1 9 7 7) *Interactive Data Analysis*.
Wiley.